

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28982	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/09 15:34
S2	10199935	Link\$5 bind\$4 attach\$4 connect\$4 bond\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34
S3	20728732	second\$3 another also two other following subsequent "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34
S4	3758914	map\$5 transpos\$5 transfer\$3 shift\$4 interchang\$4 swap\$4 reorder\$4 rearrang\$4 invert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:40
S5	6561463	time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34
S6	19735	S1 and S2 and S3 and S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34
S7	5701479	type format MySql SQL access oracle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34
S8	777629	database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34
S9	21110	S8 with S3 with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34
S10	102558	S4 with S3 with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34

S11	16434	S2 with S3 with S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:34
S12	902	S9 and S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:55
S13	219	S12 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 16:45
S14	22142532	@ad<"20020219" @rlad<"20020219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 16:46
S15	724	S12 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 16:46
S16	173	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 16:52
S17	4	((("6199195") or ("6209124") or ("6226675") or ("6356920")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/09 16:52
S19	20765524	second\$3 another also two other following subsequent "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 09:55
S20	3933720	compile input import load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 09:56
S21	4475510	file record (data) document tutorial log database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 09:56

S22	528002	S19 same S20 same S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 09:58
S23	29166	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 10:01
S24	12730	S23 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:01
S25	3766800	map\$5 transpos\$5 transfer\$3 shift\$4 interchang\$4 swap\$4 reorder\$4 rearrang\$4 invert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:01
S26	10219334	Link\$5 bind\$4 attach\$4 connect\$4 bond\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S27	20765524	second\$3 another also two other following subsequent "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S28	5713644	type format MySql SQL access oracle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S29	779454	database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S30	21215	S29 with S27 with S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S31	102778	S25 with S27 with S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02

S32	16502	S26 with S27 with S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S33	905	S30 and S31 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S34	219	S33 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S35	22145792	@ad<"20020219" @rlad<"20020219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 10:02
S36	173	S34 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:31
S37	3664889	convert\$4 transl\$4 merge\$5 combin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:22
S38	4475510	file record (data) document tutorial log database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:40
S39	20765524	second\$3 another also two other following subsequent "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:40
S40	779454	database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:23
S41	5713644	type format MySql SQL access oracle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:41

S42	29166	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 12:50
S43	1	("20030158944").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 13:33
S44	7641	S39 near5 S40 near5 S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:33
S45	396398	S37 near5 S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:35
S46	1128622	S39 near5 S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:36
S47	24521	S45 with S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:39
S48	7109	S46 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:39
S49	2267	S48 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:40
S50	403514	map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:41
S51	369192	S50 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:41

S52	6574518	time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:44
S53	296083	S52 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:44
S54	1142	S50 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:44
S55	1115	S52 and S50 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:45
S56	39198	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 13:45
S57	125	S56 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:29
S58	189484	log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:29
S59	41623	S58 adj3 S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:29
S60	48443	polling poll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:30
S61	6563083	chang\$4 adjust\$4 alter\$4 modif\$4 amend\$4 revis\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:31

S62	9	S59 with S60 with S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:47
S63	11780	(S39 near5 S41) with (S59 S40)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:31
S64	2	"6345288".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:47
S66	3766800	map\$5 transpos\$5 transfer\$3 shift\$4 interchang\$4 swap\$4 reorder\$4 rearrang\$4 invert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:48
S76	4950308	required necessary mandatory mandated obligatory rule\$4 require\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:21
S77	8864002	(field column col line row property value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:21
S78	4274305	convert\$4 transl\$4 merg\$5 combin\$4 import\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:22
S79	1140	S66 same S76 same S77 same S78 same S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:23
S80	2	"6345288".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:06
S81	40	("5093787" "5521363" "5649115" "5704044" "5740271" "5783808" "5832451" "5832460" "5859419" "5903882" "5948040" "5963925" "5991750" "6047269" "6068194" "6072870" "6119105" "6128602" "6178409" "6202054").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:07

S82	779604	database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:07
S83	3767269	map\$5 transpos\$5 transfer\$3 shift\$4 interchang\$4 swap\$4 reorder\$4 rearrang\$4 invert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:07
S84	4950705	required necessary mandatory mandated obligatory rule\$4 require\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:07
S85	8865471	(field column col line row property value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:07
S86	4274696	convert\$4 transl\$4 merg\$5 combin\$4 import\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:07
S87	1140	S83 same S84 same S85 same S86 same S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:07
S88	29166	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/18 11:08
S89	10221165	Link\$5 bind\$4 attach\$4 connect\$4 bond\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S90	20772439	second\$3 another also two other following subsequent "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S91	3767269	map\$5 transpos\$5 transfer\$3 shift\$4 interchang\$4 swap\$4 reorder\$4 rearrang\$4 invert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08

S92	6575409	time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S93	19860	S88 and S89 and S90 and S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S94	20772439	second\$3 another also two other following subsequent "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S95	5714528	type format MySql SQL access oracle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S96	7641	S94 near5 S82 near5 S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S97	4476673	file record (data) document tutorial log database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S98	189511	log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S99	41632	S98 adj3 S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:16
S10 0	48445	polling poll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S10 1	6563944	chang\$4 adjust\$4 alter\$4 modif\$4 amend\$4 revis\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08

S10 2	9	S99 with S100 with S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:08
S10 3	437	(S99 with S91) same S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:22
S10 4	16767	S90 same S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 11:22
S10 5	274	S103 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	20772439	second\$3 another also two other following subsequent "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:15
S2	779604	database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:16
S3	5499530	source log data transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:16
S4	4005147	file record (data) document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:17
S5	2960591	transl\$4 merge\$5 combin\$4 sync\$5 import\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:19
S6	3767269	map\$5 transpos\$5 transfer\$3 shift\$4 interchang\$4 swap\$4 reorder\$4 rearrang\$4 invert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:18
S7	1299779	S3 near5 (S2 S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:40
S8	1576866	merge\$5 sync\$5 import\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:24
S9	30539	S5 same S6 same S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:22
S10	989	S1 with S8 with S3 with S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:23

S11	29166	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/18 13:23
S12	39198	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/18 13:23
S13	36472	("705").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/18 13:23
S14	98827	S11 S12 S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:23
S15	529	S10 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 13:23
S16	180216	S7 near5 S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:24
S17	3124468	"new"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:24
S18	4510618	"only"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:25
S19	215	S17 with S18 with S8 with (S3 S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:28
S20	54	(S2 with S1) and (S6 same S2 smae (S3 S4)) and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:35
S21	1	("6668254").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/18 16:05